

FORLI/80 in agglomerate Seta Liquorice

SKU: FORLI/80/Q/S/L EAN: 4262512190075



Technische Daten

General data

Version	Front facing
Nominal power (kW)	12
Heating power range (kW)	6.0 - 16.0
Thermal Efficiency (%)	75
Flue gas temperature (oC)	319
Max billet length (cm)	50
Minimum required active area of inlet grilles (cm2)	≥500
Minimum required active field of outlet grilles (cm2)	≥700
diameter of the flue gas outlet	180
Air intake diameter (mm)	100
COLOUR	Seta Liquorice
CLOSING	True
Materials	Steel

Energetic efficiency

Energy class	A
EEl	98.8
Seasonal Energy Efficiency (%)	65
Heat output for space heating (kW)	12
CO emission (at 13% O2) ≤ given in %	0.096
CO emission (mg/m3)	1208
Pollen emission (mg/m3)	34
NOx emission (mg/m3)	102
OGC emission (mg/m3)	54
Flue gas mass flow (g/s)	11.6

Certifications / Compliance

Certificates	Ecodesign, Designed for recuperation, BImSchV 2
--------------	--

Additional information

Equipment	Adjustable feet M10, Air intake - built in , Ashpan, Combustion chamber lining, Decorative glass, Firewood niche
FRONT	Steel front with painted glass
Fuel type	Seasoned deciduous wood (humidity ≤20%)
EAN	4262512190075

Physical parameters

Width (cm)	79.6
Height (cm)	106.8
Depth (cm)	57.7
Waga	316.08

