

Balstil Milano 680x280 - Three-sided fireplace with lift-up doors, white lining

SKU: MILANO/680/280 EAN: 5903751419754



Technische Daten

General data

Nominal power (kW)	6
Heating power range (kW)	3-9
Thermal Efficiency (%)	77.7
Flue gas temperature (oC)	256
Max billet length (cm)	40
Minimum required active area of inlet grilles (cm2)	≥500
Minimum required active field of outlet grilles (cm2)	≥700
diameter of the flue gas outlet	200
Air intake diameter (mm)	125
CLOSING	Yes
Base material	Steel
Door opening	Up

Energetic efficiency

Energy class	A
EEl	103
Seasonal Energy Efficiency (%)	68
Heat output for space heating (kW)	6
CO emission (at 13% O2) ≤ given in %	0.091
CO emission (mg/m3)	1145
Pollen emission (mg/m3)	31
NOx emission (mg/m3)	99
OGC emission (mg/m3)	84
Flue gas mass flow (g/s)	7.2

Certifications / Compliance

Certificates **Ecodesign, Designed for recuperation, BImSchV 2**

Additional information

Fuel type **Seasoned deciduous wood (humidity ≤20%)**

Number of pieces in a package. **1**

EAN **5903751419754**

Physical parameters

Width (cm) **75.2**

Height (cm) **124.5**

Depth (cm) **50.2**

Weight (kg) **252.81**

