



2026  
**Catalog**  
Heart of your Home



[www.balstil.com](http://www.balstil.com)

**Heart  
of your Home**

## Discover Our Products

### Freestanding Stove

---

	page
Akna	10 - 13
Axam	14 - 17
Bronn	18 - 21
Forli	22 - 27
Modena	28 - 33
Ora	34 - 37
Targa	38 - 39
Ulv	40 - 43

### Fireplace Inserts

---

Milano	46 - 57
--------	---------

### Gas Fireplaces

---

Akna	60 - 61
Lusso	62 - 65

### Automatic Bio Fireplaces (Bioethanol)

---

Akna	68 - 71
Bell	72 - 75
Modena	76 - 79
Ora	80 - 83
Ulv	84 - 87
FF	88 - 91

### Electric Fireplaces

---

Ellectra	94 - 95
----------	---------

### Outdoor

---

Ember	98 - 101
Falo	102 - 105
Grill Chef	106 - 107
Table Core	108 - 111

### Accessories

---

Balstil Flame	112
Pump	112

**European Scale.  
Local Presence.  
Proven Solutions.**

**16**

**European Countries**  
A Trusted  
International Partner

**100**

**Showrooms**  
Local Availability  
& Support

## In-House Manufacturing



- We operate our own modern painting facilities.
- All handles and additional components are manufactured in-house.
- We design and produce our own casting molds.
- Finished with premium Thermotec ceramic — a unique combination of chamotte and concrete, delivering excellent thermal performance and long-lasting durability.



**We focus on the smallest details, because they define the aesthetics of the final product.**

**We prioritize user safety and high process efficiency. Every stage of design is guided by the real needs and expectations of our clients.**

We thoroughly analyze customer requirements, seeking optimal design and technological solutions. As a result, we create products that not only follow current trends but also clearly stand out on the market. We operate a modern, advanced manufacturing facility.

We emphasize innovation and precision craftsmanship. Our products are made using the highest-quality materials available, ensuring strength, durability, and reliable performance — even under intensive, long-term use.



## Freestanding Stove



TECHNICAL DATA

Nominal Heat Output	5,5 kW	Interior Lining	black, white
Heat Range	2,5 - 8,5 kW	Finish	Stone or Quartz Sintered
Max Log Length	30 cm	Dimensions	H 1020mm W 485mm D 365mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	straight glass
Efficiency	80,5 %		

# AKNA

The Akna steel version is a modern freestanding stove that combines minimalist form with timeless elegance. Its rectangular casing, available in both stone and sintered finishes, highlighted by decorative ceramic with a black frame, gives interiors a distinctive character.

The device is available with a white or black firebox Interior Lining, which not only accumulates heat but also increases combustion temperature, ensuring high energy efficiency. Thanks to adjustable legs, flexible flue connection (top or rear), and a "push to open" mechanism in the service doors, installation is quick and convenient. The Akna freestanding fireplace is a reliable source of heat and an exceptional view of fire in an elegant setting.

Quartz Sintered Stone – Finish Colors

- Calce Nero
- Fokos Grafite
- Fokos Roccia
- Fokos Talco
- Hado Travertino Bianco
- In-Side Pietra Di Cardoso Grigio
- Ossido Bruno
- Seta Liqorice

Stone – Finish Colors

- Ivory Gow
- Luna Grigia
- Speckstein

Handle

- black wood
- natural wood

Interior Lining Colors

- black
- white

Quartz Sintered Stone – Finish Colors



Calce Nero



Fokos Grafite



Fokos Roccia



Fokos Talco



Hado  
Travertino  
Bianco



In-Side Pietra  
Di Cardoso  
Grigio



Ossido Bruno



Seta Liqorice

Stone – Finish Colors



Ivory Gow




Luna Grigia



Speckstein





TECHNICAL DATA

Nominal Heat Output	8 kW	Interior Lining	black, white
Heat Range	5 - 11 kW	Finish	Stone or Quartz Sintered
Max Log Length	25 cm	Dimensions	H 1447mm W 549mm D 478mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	straight glass
Efficiency	79 %		

# AXAM

Axam is a meticulously crafted freestanding natural wood-burning fireplace stove distinguished by three-sided glazing that provides a panoramic view of the dancing flames. Decorative glass visually enlarges the firebox, emphasizing the device's modern character and adding refined elegance to interiors. The model is available in several finishing options – natural stone or sintered material – allowing it to match various interior styles. Additionally, users can choose a black or white combustion chamber Interior Lining, making Axam even more versatile.

Solid steel doors made from a closed profile ensure durability, safety, and everyday comfort. Practical features such as adjustable legs and top or rear flue outlet options make installation fast and flexible, allowing the fireplace to fit seamlessly into any space. It is a modern fireplace – an excellent choice for those who want to combine functionality with unique style while creating a cozy atmosphere based on the power of natural wood and fire, as well as enjoying pleasant warmth and high energy efficiency.

**Quartz Sintered Stone – Finish Colors**

- Calce Nero
- Fokos Grafite
- Fokos Roccia
- Fokos Talco
- Hado Travertino Bianco
- In-Side Pietra Di Cardoso Grigio
- Ossido Bruno
- Seta Liqorice

**Stone – Finish Colors**

- Ivory Gow
- Luna Grigia
- Speckstein

**Handle**

- black wood
- natural wood

**Interior Lining Colors**

- black
- white

Quartz Sintered Stone – Finish Colors



Calce Nero



Fokos Grafite



Fokos Roccia



Fokos Talco



Hado  
Travertino  
Bianco



In-Side Pietra  
Di Cardoso  
Grigio



Ossido Bruno



Seta Liqorice


Stone – Finish Colors



Ivory Gow



Luna Grigia



Speckstein





TECHNICAL DATA

Nominal Heat Output	5,5 kW	Interior Lining	black, white
Heat Range	5 - 11 kW	Finish	Stone or Quartz Sintered
Max Log Length	25 cm	Dimensions	H 1123mm W 510mm D 435mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	straight glass
Efficiency	80,5 %		

# BRONN

Bronn is a steel freestanding stove with a timeless design and exceptional performance. Thanks to its innovative ventilation system and advanced combustion technology, it meets the highest ecological standards, ensuring clean combustion and minimizing heat loss. The model is available with a steel casing or natural stone finish. The firebox interior lining can be chosen in elegant black or subtle white to suit various interior designs.

Bronn's functionality is highlighted by features such as intuitive air control, a solid steel grate, a clean glass system, and adjustable legs. A reliable closing mechanism ensures safe operation.

This natural wood-burning freestanding stove combines high comfort, modern style, and excellent energy efficiency – ideal for those seeking harmony between technology, ecology, and the cozy atmosphere of natural wood and fire.

Stone - Finish Colors

- Ivory Gow
- Luna Grigia
- Speckstein

Handle

- black wood
- natural wood

Interior Lining Colors

- black
- white

Steel - Finish Colors

- black

Stone - Finish Colors



Ivory Gow



Luna Grigia



Speckstein





# FORLI 70

A



### TECHNICAL DATA

Nominal Heat Output	8 kW	Interior Lining	black, white
Heat Range	5 - 11 kW	Finish	Sintered Quartz
Max Log Length	30 cm	Dimensions	H 924mm W 706mm D 500mm
Flue Gas Temp.	164 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	straight glass
Efficiency	84 %		

# FORLI

Forli is a modern natural wood-burning fireplace stove combining the functionality of a fireplace insert with minimalist design aesthetics. Its well-designed construction and large heating chamber make it an efficient heat source, ideal for convective room heating. The model is available in various sintered finishes and with black or white combustion chamber Interior Lining, allowing it to match individual needs and interior character.

High-quality steel construction ensures durability and stability, while an additional scratch-resistant coating enhances its modern look. Practical features such as a clean glass system, air supply control, and functional ash drawer ensure everyday convenience.

Forli is designed for those who value performance, design, and reliability – a modern fireplace offering the irreplaceable experience of natural wood and fire as the focal point of any interior.

### Quartz Sintered Stone – Finish Colors

- Calce Nero
- Fokos Grafite
- Fokos Roccia
- Fokos Talco
- Hado Travertino Bianco
- In-Side Pietra Di Cardoso Grigio
- Ossido Bruno
- Seta Liqorice

### Interior Lining Colors

- black
- white

### Handle

- black wood
- natural wood

# FORLI 80



# FORLI 95



## TECHNICAL DATA

Nominal Heat Output	12 kW	Interior Lining	black, white
Heat Range	9 - 15 kW	Finish	Sintered Quartz
Max Log Length	50 cm	Dimensions	H 1068mm W 796mm D 500mm
Flue Gas Temp.	319 C°	Opening Direction	left
Flue Outlet Diameter	180mm	Glazing Type	straight glass
Efficiency	75 %		

## Quartz Sintered Stone – Finish Colors



## Interior Lining Colors




## Handle



## TECHNICAL DATA

Nominal Heat Output	14 kW	Interior Lining	black, white
Heat Range	11-17 kW	Finish	Sintered Quartz
Max Log Length	50 cm	Dimensions	H 1173mm W 950mm D 500mm
Flue Gas Temp.	194 C°	Opening Direction	left
Flue Outlet Diameter	180mm	Glazing Type	straight glass
Efficiency	83 %		

## Quartz Sintered Stone – Finish Colors



## Interior Lining Colors



## Handle



Quartz Sintered Stone – Finish Colors



Calce Nero



Fokos Grafite



Fokos Roccia



Fokos Talco



Hado  
Travertino  
Bianco



In-Side Pietra  
Di Cardoso  
Grigio



Ossido Bruno




Seta Liqorice





# MODENA S



### TECHNICAL DATA

Nominal Heat Output	7,3 kW	Interior Lining	black, white
Heat Range	4,3 - 10,3 kW	Finish	Sintered Quartz
Max Log Length	35 cm	Dimensions	H 1020mm W 485mm D 365mm
Flue Gas Temp.	250 C°	Opening Direction	left, right
Flue Outlet Diameter	150mm	Glazing Type	left corner or right corner
Efficiency	80,2 %		
Without Accumulation	182 KG		
Plus Accu – Cast Iron	-		
Plus Accu – Concrete	-		
Plus Accu – TurboDym	-		

# MODENA

Modena is an elegant freestanding stove available in three sizes – S, M, and L – allowing perfect adaptation to interior scale. Its slim steel construction features panoramic, gently curved glazing that highlights the dancing flames.

It meets EN16510 standards, confirming clean and efficient combustion and compliance with strict ecological requirements.

A lined combustion chamber, practical ash pan, and optional external air intake ensure easy operation. Designed for seasoned hardwood with moisture up to 20%, it delivers stable flames and minimal emissions.

### Quartz Sintered Stone – Finish Colors

- Calce Nero
- Fokos Grafite
- Fokos Roccia
- Fokos Talco
- Hado Travertino Bianco
- In-Side Pietra Di Cardoso Grigio
- Ossido Bruno
- Seta Liqorice

### Interior Lining Colors

- black
- white

### Handle

- black wood
- natural wood

# MODENA M



# MODENA L




## TECHNICAL DATA

Nominal Heat Output	7,3 kW	Interior Lining	black, white		
Heat Range	4,5 - 10,3 kW	Finish	Sintered Quartz		
Max Log Length	35 cm	Dimensions	H 1549mm W 452mm D 452mm		
Flue Gas Temp.	250 C°			Opening Direction	left, right
Flue Outlet Diameter	150mm			Glazing Type	left corner or right corner
Efficiency	80,2 %				
Without Accumulation	190 KG				
Plus Accu – Cast Iron	238 KG				
Plus Accu – Concrete	212 KG				
Plus Accu – TurboDym	-				

## TECHNICAL DATA

Nominal Heat Output	7,3 kW	Interior Lining	black, white		
Heat Range	4,5 - 10,3 kW	Finish	Sintered Quartz		
Max Log Length	35 cm	Dimensions	H 1749mm W 452mm D 452mm		
Flue Gas Temp.	250 C°			Opening Direction	left, right
Flue Outlet Diameter	150mm			Glazing Type	left corner or right corner
Efficiency	80,2 %				
Without Accumulation	203 KG				
Plus Accu – Cast Iron	314 KG				
Plus Accu – Concrete	254 KG				
Plus Accu – TurboDym	223 KG				

### Quartz Sintered Stone – Finish Colors



### Interior Lining Colors




### Handle




### Quartz Sintered Stone – Finish Colors



### Interior Lining Colors



### Handle



Quartz Sintered Stone – Finish Colors



Calce Nero



Fokos Grafite



Fokos Roccia



Fokos Talco



Hado  
Travertino  
Bianco



In-Side Pietra  
Di Cardoso  
Grigio



Ossido Bruno



Seta Liqorice





TECHNICAL DATA

Nominal Heat Output	5,5 kW	Interior Lining	black, white
Heat Range	2,5 - 8,5 kW	Finish	Stone
Max Log Length	35 cm	Dimensions	H 1019mm W 495mm D 495mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	curved glazing
Efficiency	80,5 %		

# ORA

Ora is a steel freestanding stove combining minimalist design with high functionality. Its round form suits various interiors, while available finishes – stone and black or white Interior Lining – allow customization.

A clean glass system ensures a clear view of the fire, and precise air control enables efficient combustion with low fuel consumption.

With a secure door mechanism and top or rear flue connection options, Ora is both safe and versatile.

**Stone - Finish Colors**

- Ivory Gow
- Luna Grigia
- Speckstein

**Handle**

- black wood
- natural wood

**Interior Lining Colors**

- black
- white

**Steel - Finish Colors**

- black

Stone - Finish Colors



Ivory Gow



Luna Grigia



Speckstein





TECHNICAL DATA

Nominal Heat Output	7 kW	Interior Lining	black, white
Heat Range	4 - 10 kW	Finish	Steel
Max Log Length	35 cm	Dimensions	H 1225mm W 522mm D 522mm
Flue Gas Temp.	235 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	curved glazing
Efficiency	75,7 %		

# TARGA

The elegant steel Targa stove features curved glazing that showcases the natural beauty of flames. Available with black or white lining, it offers versatile styling options. Its innovative system with dual deflectors and heat-accumulating materials ensures optimal energy use and high efficiency. Functional features include a clean glass system, steel grate, ash drawer, and intuitive air control. Designed for users who expect both refined aesthetics and long-term durability, the stove features a solid steel construction, precise component fit, and high-temperature-resistant materials, ensuring a long service life and safe operation over many heating seasons while maintaining its original appearance and high performance.

**Interior Lining Colors**

- black
- white

**Steel - Finish Colors**

- black

**Handle**

- black wood
- natural wood



ULV



A



TECHNICAL DATA

Nominal Heat Output	5,5 kW	Interior Lining	black, white
Heat Range	2,5 - 8,5 kW	Finish	Stone or steel
Max Log Length	35 cm	Dimensions	H 1019mm W 528mm D 422mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	straight glass
Efficiency	80,5 %		

# ULV

Ulv combines minimalist design with high energy efficiency. Available with black or white lining and stone finishes, it suits various interiors. It meets strict ecological standards and offers features such as "push to open" service doors, adjustable legs, and flexible flue connection.

The Ulv stove has been designed with a strong focus on user comfort and practical performance. Its well-balanced proportions, thoughtful ergonomics, and easy access to service components make daily operation simple and intuitive. Combined with advanced airflow management and efficient heat distribution, Ulv delivers a consistently pleasant indoor climate while maintaining a clean, modern aesthetic that enhances any interior.

**Stone - Finish Colors**

- Ivory Gow
- Luna Grigia
- Speckstein

**Handle**

- black wood
- natural wood

**Interior Lining Colors**

- black
- white

**Steel - Finish Colors**

- black

Stone - Finish Colors



Ivory Gow



Luna Grigia



Speckstein

Steel - Finish Color



Black





**Chimney liners**



# MILANO

Milano is a modern natural wood fireplace insert designed for those who want to combine minimalist design with exceptional functionality. Three-sided glazing offers a view of the fire from multiple perspectives.

A lift-up door system ensures convenience, while advanced combustion technology – including primary and secondary air regulation and an air curtain – ensures optimal combustion and high energy efficiency. A deflector system extends the flue gas path, increasing performance.

Available in various sizes, Milano suits both large living rooms and smaller spaces.

## MILANO 480/480

FIREPLACE INSERT



A+



### TECHNICAL DATA

Nominal Heat Output	8 kW
Heat Range	5 - 11 kW
Max Log Length	40 cm
Flue Gas Temp.	227 C°
Flue Outlet Diameter	200 mm
Efficiency	84 %
Interior Lining	black or white
Finish	Steel
Dimensions	H 1392mm W 675mm D 682mm
Opening Direction	left or right
Glazing Type	left corner configuration

### Interior Lining Colors


● black ○ white

## MILANO 500/500

FIREPLACE INSERT



A+



### TECHNICAL DATA


Nominal Heat Output	7 kW
Heat Range	4 - 10 kW
Max Log Length	40 cm
Flue Gas Temp.	209 C°
Flue Outlet Diameter	200 mm
Efficiency	79,6 %
Interior Lining	black or white
Finish	Steel
Dimensions	H 1609mm W 674mm D 904mm
Opening Direction	lift-up door
Glazing Type	three-sided

### Interior Lining Colors

● black ○ white

# MILANO 500/700

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	8 kW
Heat Range	5 - 11 kW
Max Log Length	40 cm
Flue Gas Temp.	241 C°
Flue Outlet Diameter	200mm
Efficiency	79,9 %
Interior Lining	black, white
Finish	Steel
Dimensions	H 1609mm W 676mm D 1087mm
Opening Direction	lift-up door
Glazing Type	three-sided


## Interior Lining Colors



A+

# MILANO 610/430

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	9 kW
Heat Range	6 - 12 kW
Max Log Length	40 cm
Flue Gas Temp.	217 C°
Flue Outlet Diameter	200mm
Efficiency	81 %
Interior Lining	black, white
Finish	Steel
Dimensions	H 1392mm W 806mm D 648mm
Opening Direction	lift-up door
Glazing Type	left corner configuration


## Interior Lining Colors



A+

# MILANO 600/400

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	7 kW
Heat Range	4 - 10 kW
Max Log Length	40 cm
Flue Gas Temp.	188 C°
Flue Outlet Diameter	200mm
Efficiency	82 %
Interior Lining	black, white
Finish	Steel
Dimensions	H 1585mm W 774mm D 664mm
Opening Direction	lift-up door
Glazing Type	three-sided


## Interior Lining Colors



A+

# MILANO 680/280

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	6 kW
Heat Range	3 - 9 kW
Max Log Length	40 cm
Flue Gas Temp.	256 C°
Flue Outlet Diameter	200mm
Efficiency	77,7 %
Interior Lining	black, white
Finish	Steel
Dimensions	W 1411mm S 851mm G 629mm
Opening Direction	lift-up door
Glazing Type	three-sided


## Interior Lining Colors



A+

# MILANO 700/480

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	12 kW
Heat Range	9 - 15 kW
Max Log Length	40 cm
Flue Gas Temp.	237 C°
Flue Outlet Diameter	200mm
Efficiency	82 %
Interior Lining	black, white
Finish	Steel
Dimensions	H 1512mm W 895mm D 682mm
Opening Direction	lift-up door
Glazing Type	left corner configuration


## Interior Lining Colors

● black ○ white

A

# MILANO 810/410

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	14 kW
Heat Range	5,5 - 10,5 kW
Max Log Length	40 cm
Flue Gas Temp.	243 C°
Flue Outlet Diameter	200mm
Efficiency	82 %
Interior Lining	black, white
Finish	Steel
Dimensions	W 1512mm S 1005mm G 612mm
Opening Direction	lift-up door
Glazing Type	left corner configuration


## Interior Lining Colors

● black ○ white

A+

# MILANO 800/400

FIREPLACE INSERT



TECHNICAL DATA	
Nominal Heat Output	8 kW
Heat Range	5-11 kW
Max Log Length	40 cm
Flue Gas Temp.	207 C°
Flue Outlet Diameter	200mm
Efficiency	80,2 %
Interior Lining	black, white
Finish	Steel
Dimensions	H 1595mm W 981mm D 617mm
Opening Direction	lift-up door
Glazing Type	three-sided

## Interior Lining Colors

● black ○ white

A



# MILANO

FIREPLACE INSERT WITH ENCLOSURE

Available in multiple sizes and featuring a sleek sintered quartz cladding, Milano is a modern wood-burning fireplace insert that combines minimalist design with high functionality. The top-lift door system ensures convenient daily operation, while advanced combustion technology with primary and secondary air regulation and an air curtain provides optimal burning and high energy efficiency.

Available in various sizes and a wide range Milano is suitable for both large living rooms and smaller spaces, bringing warmth and a distinctive atmosphere to any interior.

# MILANO 500/500

FIREPLACE INSERT WITH ENCLOSURE



A+



## TECHNICAL DATA

Nominal Heat Output	9 kW	Interior Lining	black, white
Heat Range	6 - 12 kW	Finish	Sintered Quartz
Max Log Length	40 cm	Dimensions	H 1990mm W 676mm D 972mm
Flue Gas Temp.	217 C°	Opening Direction	lift-up door
Flue Outlet Diameter	200mm	Glazing Type	left corner configuration
Efficiency	81 %		

## Quartz Sintered Stone – Finish Colors



## Interior Lining Colors



# MILANO 610/430

FIREPLACE INSERT WITH ENCLOSURE



A



# MILANO 680/280

FIREPLACE INSERT WITH ENCLOSURE



A+



## TECHNICAL DATA

Nominal Heat Output	9 kW	Interior Lining	black, white
Heat Range	6 - 12 kW	Finish	Sintered Quartz
Max Log Length	40 cm		
Flue Gas Temp.	217 C°	Dimensions	H 1961mm W 902mm D 687mm
Flue Outlet Diameter	200mm		
Efficiency	81 %	Opening Direction	lift-up door
		Glazing Type	left corner configuration

## Quartz Sintered Stone – Finish Colors



## Interior Lining Colors



## TECHNICAL DATA

Nominal Heat Output	6 kW	Interior Lining	black, white
Heat Range	3 - 9 kW	Finish	Sintered Quartz
Max Log Length	40 cm		
Flue Gas Temp.	256 C°	Dimensions	H 1990mm W 853mm D 671mm
Flue Outlet Diameter	200mm		
Efficiency	77,7 %	Opening Direction	lift-up door
		Glazing Type	lthree-sided

## Quartz Sintered Stone – Finish Colors




## Interior Lining Colors



# MILANO 800/400

FIREPLACE INSERT WITH ENCLOSURE



## Quartz Sintered Stone – Finish Colors



Fokos Grafite



Fokos Sale




Naturali Pierta Di Savoia Perla Boccia data

### TECHNICAL DATA


Nominal Heat Output	8 kW	Interior Lining	black, white
Heat Range	5 – 11 kW	Finish	Quartz Sintered
Max Log Length	40 cm	Dimensions	W 1990mm S 983mm G 671mm
Flue Gas Temp.	207 C°	Opening Direction	left
Flue Outlet Diameter	200mm	Glazing Type	lthree-sided
Efficiency	80,2 %		

### Quartz Sintered Stone – Finish Colors



### Interior Lining Colors





Gas Fireplace




# AKNA

The Akna steel version is a modern freestanding stove that combines minimalist form with timeless elegance. Its rectangular casing, available in both stone and sintered finishes, highlighted by decorative ceramic with a black frame, gives interiors a distinctive character.

The device is available with a white or black firebox Interior Lining, which not only accumulates heat but also increases combustion temperature, ensuring high energy efficiency. Thanks to adjustable legs, flexible flue connection (top or rear), and a "push to open" mechanism in the service doors, installation is quick and convenient. The Akna freestanding fireplace is a reliable source of heat and an exceptional view of fire in an elegant setting.

## AKNA



### Control options

-  smart home
-  included pilot
-  wi-fi



### TECHNICAL DATA

Nominal Heat Output	4 kW	Interior Lining	black
Heat Range	1 - 7 kW	Finish	Quartz Sintered
Max Log Length	30 cm	Dimensions	H 1020mm W 485mm D 365mm
Flue Gas Temp.	297 C°		
Flue Outlet Diameter	150mm		
Efficiency	80,5 %	Opening Direction	left
		Glazing Type	straight glass

### Quartz Sintered Stone – Finish Colors

-  Fokos Grafite

### Interior Lining Colors

-  black



Balstil app






# LUSSO

Lusso is a modern gas fireplace combining luxury, convenience, and safety in an elegant form. It is available in various fuel options (natural gas, propane, or propane-butane mixture), sizes, and glass variants – front, corner (left or right), tunnel, or U-shaped – allowing easy adaptation to individual needs and interior design.

A sealed combustion chamber and gas shut-off system ensure reliable and safe operation. An innovative ceramic burner provides a realistic flame comparable to traditional natural wood fireplaces. Lusso does not require an external power source, ensuring operation even during power outages.

Control via remote or mobile app allows the fireplace to start within seconds, delivering warmth and atmosphere instantly.

## LUSSO 130/55



### Control options

-  smart home
-  included pilot
-  wi-fi



### TECHNICAL DATA

Nominal Heat Output	12 kW	Interior Lining	black
Heat Range	8,5 - 15,5 kW	Finish	Steel
Flue Outlet Diameter	200mm	Dimensions	H 1276mm W 1329mm D 577mm
		Glazing Type	straight glass

### Steel

- black

### Interior Lining Colors


- black



Balstil app



# LUSSO 130/75



A

## Control option

- smart home
- included pilot
- wi-fi



## TECHNICAL DATA

Nominal Heat Output	12,5 kW	Interior Lining	black
Heat Range	8,5 - 15,5 kW	Finish	Steel
Flue Outlet Diameter	200mm	Dimensions	H 1475mm W 1329mm D 577mm
		Glazing Type	straight glass

## Steel

- black

## Interior Lining Colors

- black

## Opening Direction - 130/55



## Opening Direction - 130/75



Balstil app





## Automatic Bio Fireplace



AKNA



Control options

-  smart home
-  included pilot
-  wi-fi



TECHNICAL DATA

Nominal Heat Output	4 kW	Interior Lining	black, white
Heat Range	1 - 7 kW	Finish	Quartz Sintered
Max Log Length	30 cm	Dimensions	H 1020mm W 485mm D 365mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	straight glass
Efficiency	80,5 %		

# AKNA

The Akna automatic bio fireplace is an elegant combination of modern design and ecological technology. Its rectangular form, decorated with decorative glass, is available in various sintered finish options, allowing the fireplace to match any interior arrangement.

Powered by biofuel, the Akna freestanding fireplace provides a natural flame without the need for a chimney or the inconvenience of ash and smoke. Solid steel components ensure durability and stability.

It is a modern biofuel fireplace for those who value aesthetics and safety, as well as the ability to enjoy the atmosphere of fire in a simple and environmentally friendly way.

Quartz Sintered Stone – Finish Colors

-  Calce Nero
-  Fokos Grafite
-  Fokos Roccia
-  Fokos Talco
-  Hado Travertino Bianco
-  In-Side Pietra Di Cardoso Grigio
-  Ossido Bruno
-  Seta Liqorice

Interior Lining Colors

-  black
-  white

Handle

-  black wood
-  natural wood

Quartz Sintered Stone – Finish Colors



Calce Nero



Fokos Grafite



Fokos Roccia



Fokos Talco



Hado  
Travertino  
Bianco



In-Side Pietra  
Di Cardoso  
Grigio



Ossido Bruno



Seta Liqorice



Balstil app





BELL



Control options

-  smart home
-  included pilot
-  wi-fi



TECHNICAL DATA

Nominal Heat Output	4,3 kW	Interior Lining	black
Heat Range	1,3 - 7,3 kW	Finish	RIOVERDE, MUSCLE-BEIGE, ROSSEGOLD, WHITE, BLACK
Fuel Type	Bioethanol 96%	Dimensions	W 1050mm ø 485mm
Fuel tank capacity	7 L		
Power supply	230 VAC / 50Hz		
Flue Connection diameter	168,3mm		

# BELL

Bell is a modern biofuel fireplace featuring a unique suspended construction and visually light form. Its conical casing with a distinctive flue pipe gives it a sculptural character.

Equipped with a ceramic burner, it ensures clean and safe combustion. Available in various colors, it is designed for demanding clients, architects, and interior designers.

Steel color

-  Steel - RIOVERDE
-  Steel - MUSCLE-BEIGE
-  Steel - ROSSEGOLD
-  Steel - black
-  Steel - white

Steel – Finish Colors



Black



White




Rossegold



Rioverde



Muscle Beide



Balstil app





# MODENA S BIO



### Control options

- smart home
- included pilot
- wi-fi



### TECHNICAL DATA

Nominal Heat Output	4 kW	Interior Lining	black
Heat Range	1 - 7 kW	Finish	sintered quartz, steel
Fuel Type	Bioethanol 96%	Dimensions	H 1355mm W 452 W 452
Fuel tank capacity	8 L	Opening Direction	left
Power supply	230 VAC / 50Hz	Glazing Type	left corner or right corner
Flue Connection diameter	168,3mm		

# MODENA

The Modena automatic bioethanol fireplace combines modern design, functionality, and flexibility in a single elegant solution. Available in a range of sintered stone finishes, it can be perfectly tailored to suit a variety of interior styles, becoming a refined centerpiece in any space. Powered by eco-friendly biofuel, Modena requires no chimney connection, allowing installation in almost any room – from living and dining areas to offices or designer interiors. The fire creates a natural, cozy, and elegant atmosphere, while the thoughtfully designed clean-glass system ensures an unobstructed view of the flames, enhancing the visual effect and simplifying maintenance. The combination of high-quality materials, precise craftsmanship, and intuitive operation guarantees long-lasting durability and comfortable daily use. The Modena automatic bioethanol fireplace is an ideal choice for those seeking a stylish, environmentally conscious heat source that combines comfort, safety, and the timeless elegance of modern interiors.

### Quartz Sintered Stone – Finish Colors

- Calce Nero
- Fokos Grafite
- Fokos Roccia
- Fokos Talco
- Hado Travertino Bianco
- In-Side Pietra Di Cardoso Grigio
- Ossido Bruno
- Seta Liqorice

### Interior Lining Colors

- black

### Handle

- black wood
- natural wood

Eco Flame Fireplace powered by VBS Technology

Quartz Sintered Stone – Finish Colors



Calce Nero



Fokos Grafite



Fokos Roccia



Fokos Talco



Hado  
Travertino  
Bianco



In-Side Pietra  
Di Cardoso  
Grigio



Ossido Bruno



Seta Liqorice




Balstil app





ORA



Control options

-  smart home
-  included pilot
-  wi-fi



TECHNICAL DATA

Nominal Heat Output	5,5 kW	Interior Lining	black, white
Heat Range	2,5 - 8,5 kW	Finish	Steel
Max Log Length	35 cm	Dimensions	W 1020mm S 485mm G 365mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	curved glazing
Efficiency	80,5 %		

# ORA

The automatic Ora bio fireplace is a modern heat source creating a unique atmosphere. Its round steel construction makes it both functional and decorative. Powered by eco-friendly biofuel, it requires no chimney and can be installed in almost any room. Designed to combine visual lightness with advanced technology. High-quality steel components and precision engineering ensure reliable operation and long-term durability. The clean-burning biofuel system provides a vivid, natural flame without smoke, soot, or ash, allowing Ora to deliver the warmth and ambiance of fire in a safe, elegant, and environmentally responsible way. Ora effortlessly transforms any space into a stylish and inviting focal point, combining elegance with modern convenience.

Interior Lining Colors

- black
- white

Steel - Finish Color

- black

Handle

- black wood
- natural wood

Steel - Finish Color



Black

 BÅLSTIL



Balstil app





ULV



Control options

- smart home
- included pilot
- wi-fi



TECHNICAL DATA

Nominal Heat Output	5,5 kW	Interior Lining	black, white
Heat Range	2,5 - 8,5 kW	Finish	Steel
Max Log Length	30 cm	Dimensions	W 1020mm S 485mm G 365mm
Flue Gas Temp.	297 C°	Opening Direction	left
Flue Outlet Diameter	150mm	Glazing Type	curved glazing
Efficiency	80,5 %		

# ULV

The Ulv bio fireplace allows enjoyment of natural fire without a chimney or ash. Its modern round form makes it both a heat source and decorative element. Crafted from high-quality materials and engineered with precision, Ulv ensures reliable and long-lasting operation. The fireplace offers flexibility in installation, seamlessly integrating into a wide range of spaces, while its clean-burning biofuel system delivers warmth and ambiance in a safe, eco-friendly, and visually striking way. With a variety of finish and lining options, including elegant stone and contrasting steel colors, Ulv can be tailored to suit diverse interior styles, transforming it into a true centerpiece that combines functionality, comfort, and timeless design.

Interior Lining Colors

- black
- white

Steel - Finish Color

- black

Handle

- black wood
- natural wood

Steel - Finish Color




Black

 BÅLSTIL



Balstil app






Control options

-  smart home
-  included pilot
-  wi-fi

## FF 700

FIREPLACE INSERT WITH ENCLOSURE




TECHNICAL DATA

Nominal Heat Output	4,3 kW
Fuel tank capacity	6,5 L
Finish	Steel
Dimensions	H 263mm W 800mm D 300mm
Fire line length	700 mm

 Eco Flame Fireplace powered by VBS Technology

## FF 1000

FIREPLACE INSERT WITH ENCLOSURE



TECHNICAL DATA

Nominal Heat Output	4,5 kW
Fuel tank capacity	10,5 L
Finish	steel
Dimensions	H 263mm W 1100mm D 300mm
Fire line length	1000 mm

 Eco Flame Fireplace powered by VBS Technology

# FF

FF is an automatic biofuel insert available in various burner lengths – 700, 1000, 1500, and 2000 mm – allowing the flame line to be tailored to interior size and individual preferences. Custom burner lengths can also be made on request. Its minimalist design fits both modern and classic interiors and provides fully automated bio fireplaces integrated with building automation systems.

The automatic control system allows full flame control – from subtle, romantic fire to a bold, dynamic visual effect. A built-in thermostat and safety sensors monitor operation, temperature, and fuel level for safe and convenient use.


Eco-friendly biofuel is refilled easily and cleanly using a dedicated pump. FF also offers mobile app control (Android and iOS), providing maximum flexibility. It is a solution for those seeking a designer, modern fireplace experience without a chimney.

# FF 1500

FIREPLACE INSERT WITH ENCLOSURE



A



## TECHNICAL DATA

Nominal Heat Output	12 kW
Fuel tank capacity	10,5 L
Finish	Steel
Dimensions	H 263mm W 1597mm D 300mm
Fire line length	1500 mm


Eco Flame Fireplace powered by VBS Technology

# FF 2000

FIREPLACE INSERT WITH ENCLOSURE




A



## TECHNICAL DATA

Nominal Heat Output	14 kW
Fuel tank capacity	10,5 L
Finish	Steel
Dimensions	H 265mm W 800mm D 300mm
Fire line length	2000 mm

Eco Flame Fireplace powered by VBS Technology



Balstil app






## ELECTRIC FIREPLACE



ELLECTRA



Control options

-  smart home
-  included pilot
-  wi-fi



TECHNICAL DATA

Power supply	240V AC 50Hz	Interior Lining	black
Maximum power consumption:	~2,5 kW	Finish	Steel
Maximum heating output	~2 kW	Dimensions	H 835mm W 1014mm D 491mm
Flame adjustment:	5 flame levels + OFF mod		
Chimney:	not required		

# ELLECTRA

Ellectra is an electric insert that combines modern technology with atmospheric design. A realistic flame effect with five-stage adjustment allows you to enjoy the view of fire without smoke, ash, or cleaning.

Operation is extremely convenient, controlled via remote control or a mobile app (Android and iOS), offering full flexibility and comfort. With heating power up to 2 kW, Elektra provides additional warmth on cold days while creating a cozy interior atmosphere.

The product does not require chimney connection, allowing quick and easy installation in an apartment, flat, or house. Quiet operation, elegant appearance, and functionality make it an excellent choice for those who value comfort, convenience, and a modern lifestyle. Elektra is an electric fireplace with a heating function suitable for any interior.

Steel

-  black

Interior Lining Colors

-  black



Balstil app





Outdoor



## EMBER L

FIREPLACE INSERT WITH ENCLOSURE



### TECHNICAL DATA

Finish	Steel
Dimensions	H 350mm W 750mm D 750mm

## EMBER M

FIREPLACE INSERT WITH ENCLOSURE



### TECHNICAL DATA

Finish	Steel
Dimensions	H 310mm W 620mm D 600mm

# EMBER

A garden fire pit that combines minimalist design with durable steel construction, Ember brings both style and functionality to outdoor spaces. Available in three sizes S, M, and L it can be perfectly adapted to suit small patios, terraces, or larger garden areas. The steel finish ensures long-lasting durability and resistance to outdoor conditions, while maintaining a sleek, contemporary aesthetic.

Designed for safety and comfort, Ember serves as a modern focal point, providing warmth and ambiance for gatherings or quiet evenings outdoors. Its clean lines and robust construction make it an elegant, practical addition to any garden or terrace, combining visual appeal with lasting performance.

# EMBER S

FIREPLACE INSERT WITH ENCLOSURE



## TECHNICAL DATA

Finish	Steel
Dimensions	H 275mm W 620mm D 600mm





FALO



TECHNICAL DATA

Nominal Heat Output	8,2 kW	Interior Lining	Glass, steel
Heat Range	5,2 - 8,2 kW	Finish	sintered quartz
Gas type	G30/37MBAR	Dimensions	H 1350mm W 444mm D 444mm
Gas consumption at minimum load	350		
Gas consumption at Rated Load	451		

# FALO

Falo is a modern outdoor gas heater combining high heating efficiency with exceptional design. Its slim vertical form with a glass tube exposing the flame creates a striking decorative element for terraces and hospitality spaces. Designed for both style and practicality, Falo provides instant warmth while maintaining a safe distance from the flame, making it ideal for social gatherings or relaxing outdoor evenings. Its durable materials and weather-resistant construction ensure long-lasting performance, while the clean, visible flame adds ambiance and elegance to any outdoor setting.

Quartz Sintered Stone – Finish Colors

- Fokos Grafite
- Ossido Bruno
- Seta Liquorice
- Taj Mahal

Quartz Sintered Stone – Finish Colors



Fokos Grafite




Ossido Bruno



Seta Liquorice




Taj Mahal





GRILL CHEF



TECHNICAL DATA

Fuel type	seasoned hardnatural wood with moisture content ≤20%	Dimensions	H 11154mm W 774mm D 774mm
Finish	steel, natural wood		

# GRILL CHEF

GRILL CHEF is a modern outdoor solution combining a garden fire pit with a full outdoor kitchen. Equipped with a solid steel grill grate, a practical cutting board, and smart storage compartments for accessories and spices, it becomes the centerpiece of gatherings in the garden or on the terrace. The model is available in two variants: CHEF GRILL white in Seta Liquorice sintered finish and a version with a black bowl. Both combine durable materials with minimalist design suited to modern outdoor spaces. A spacious natural wood storage niche emphasizes its practical nature.

Using seasoned hardnatural wood (moisture ≤ 20%), CHEF GRILL provides pleasant warmth, an atmospheric fire image, and convenient slow-food cooking. It serves both as a functional grill and a stylish garden fire pit. It is a proposal for those who value culinary passion, exceptional design, and comfort outdoors.



TABLE CORE

**400**



TECHNICAL DATA

Housing	steel
tabletop	sintered quartz
Accessories	bioethanol insert
Dimensions	H 404mm W 600mm Ø 600mm

body

- marone
- black
- bianco

top

- Ossido Bruno
- Fokos Grafite
- Taj Mahal

TABLE CORE

**400 SLIM**



TECHNICAL DATA

Housing	steel
tabletop	sintered quartz
Accessories	bioethanol insert
Dimensions	H 400mm W 600mm Ø 600mm

body

- marone
- black
- bianco

top

- Ossido Bruno
- Fokos Grafite
- Taj Mahal

# TABLE CORE

Table Core is a modern outdoor table with a built-in manual biofuel burner. Designed for terraces and gardens, it creates a cozy atmosphere. Its steel structure and sintered quartz tabletop ensure durability, UV resistance, and easy maintenance.

The integrated biofuel burner delivers a safe, clean flame, adding both warmth and a striking visual element to any outdoor setting. Its minimalist design and high-quality materials make Table Core an elegant centerpiece, ideal for social gatherings, outdoor dining, or relaxing evenings, perfectly combining functionality, comfort, and modern style.

TABLE CORE

# 785



### TECHNICAL DATA

Housing	steel
tabletop	sintered quartz
Accessories	bioethanol insert
Dimensions	H 789mm W 600mm Ø 600mm

### body

- marone
- black
- bianco

### top

- Ossido Bruno
- Fokos Grafite
- Taj Mahal

### Quartz Sintered Stone – Finish Colors



Black



Bianco



Marone

TABLE CORE

# 1100 SLIM



### TECHNICAL DATA

Housing	steel
tabletop	sintered quartz
Accessories	bioethanol insert
Dimensions	H 1076mm W 600mm Ø 600mm

### body

- marone
- black
- bianco

### top

- Ossido Bruno
- Fokos Grafite
- Taj Mahal

# ACCESSORIES

## BALSTIL FLAME

Bioethanol 1L / 5L



## PUMP

COMPLETE PUMP SET



# Interior lining finishes

## SINTERED QUARTZ



Bruno natural



Calce Nero



Fokos Grafite



Taj mahal



Fokos Roccia




Fokos talco



Hado Travertino Bianco



Fokos Sale



In-Side Pietra Di Cardoso Grigio



Seta Liquorice



Naturali Pietra Di Savoia Perla Boccia data

# Interior lining finishes

## STONE



Ivory glov

## CERAMIC INTERIOR COATING



White

## STEEL



Black



Luna Grigia




Black




Speckstein

## HANDLE



Black wood  
Handle



Natural wood  
Handle



# Heart of your Home

BÅLSTIL

[www.balstil.com](http://www.balstil.com)